JbigDeaL JbigDeaL JbigDeaL JbigDeaL
Download from www.JbigDeaL.in Powered By © JbigDeaL™

GGSIPU chemistry 2007

1. Which of the following is not an ore of magnesium ?

(a) carnallite (b) Dolomite

(c) Calamine (d) sea water

2. The atomic number of Ni and Cu are 28 and 29 respectively.The electronic configuration $1s^2,2s^2,2p^6,3s^2,3p^6,3d^{10}$ represents

(a) Cu^+ (b) Cu^{2+}

(c) Ni^{2+} (d) Ni

3. In the following the element with the highest ionization energy is

(a) $[Ne]3s^2\ 3p^1$ (b) $[Ne]3s^2\ 3p^3$

(c) $[Ne]3s^2\ 3p^2$ (d) $[Ne]3s^2\ 3p^4$

4. in the conversion of Br_2 to BrO_3^-,the oxidation number of Br changes from

(a) zero to +5 (b) +1 to +5

(c) zero to -3 (d) +2 to +5

5. Among the alkali metal cesium is the most reactive because

(a) its incomplete shell is nearest to the nucleus

(b) it has a single electron in the valence shell

(c) it is the haviest alkali metal

(d) the outermost electron is more loosely bound than the outermost electron of the other alkali metals

6. Which of the following represents the Lewis structure of N_2 molecule ?

(a) $\overset{x}{\underset{x}{}}N \equiv N\overset{x}{\underset{x}{}}$ (b) $\overset{x\,x\,x}{\underset{x}{}}N \equiv \overset{x\,x}{\underset{x}{}}N$

(c) $\overset{x\,x\,x}{\underset{x}{}}N\overset{x}{\underset{x}{}} - \overset{x\,x\,x}{\underset{x\,x\,x}{}}$ (d) $\overset{x\,x\,x}{\underset{x}{}}N\overset{x}{\underset{x}{}} = \overset{x\,x\,x}{\underset{x\,x\,x}{}}$

7. Hydrogen bond is strongest in

(a) S – H ... O (b) O – H ... S

JbigDeaL JbigDeaL JbigDeaL JbigDeaL Download from www.JbigDeaL.in Powered By © JbigDeaL JbigDeaL JbigDeaL JbigDeaL JbigDeaL

JbigDeaL JbigDeaL JbigDeaL JbigDeaL
Download from www.JbigDeaL.in Powered By © JbigDeaL™

(c) F – H … F (d) O – H … N

8. The decomposition of a certain mass of $CaCO_3$ gave 11.2 dm^3 of CO_2 gas at STP.The mass of KOH required to completely neutralize the gas is

(a) 56 g (b) 28 g

(c) 42 g (d) 20 g

9. The density of a gas is 1.964g dm^{-3} at 273 K and 76 cm Hg.The gas is

(a) CH_4 (b) C_2H_6

(c) CO_2 (d) Xe

10. 0.06 mole of KNO_3 solid is added to 100 cm^3 of water at 298 K.The enthalpy of KNO_3 aqueous solution is 35.8 kj mol^{-1} .After the solute is dissolved the temperature of the solution will be

(a) 293 K (b) 298 K

(c) 301 K (d) 304 K

11. 4 moles each of SO_2 and O_2 gases are allowed to react to form SO_3 in a closed vassel.At equilibrium 25% of O_2 is used up.The total number of moles of all the gases at equilibrium is

(a) 6.5 (b) 7.0

(c) 8.0 (d) 2.0

12. An example for autocatalysis is :

(a) oxidation of NO to NO_2

(b) oxidation of SO_2 to SO_3

(c) decomposition of of $KCLO_3$ to KCL and O_2

(d) oxidation of oxalic acid by acidified $KMnO_4$

13. During the fusion of an organic compound with sodium metal,nitrogen of the compound is converted into

(a) $NaNO_2$ (b) $NaNH_2$


(c) NaCN (d) NaNC

14. Identify the product Y in the following reaction sequence

$CH_2 - CH_2 - C$ Heat Zn-Hg

JbigDeaL JbigDeaL JbigDeaL JbigDeaL Download from www.JbigDeaL.in Powered By © JbigDeaL JbigDeaL JbigDeaL JbigDeaL JbigDeaL

JbigDeaL JbigDeaL JbigDeaL JbigDeaL
Download from www.JbigDeaL.in Powered By © JbigDeaL™



(a) Pentane
(b) Cyclobutane
(c) Cyclopentane
(d) Cyclopentanone

15. The reaction $C_2H_5ONa + C_2H_5 \rightarrow C_2H_5OC_2H_5 + NaI$ is known as

(a) Kolbe's synthesis

(b) Wurtz's synthesis

(c) Williamson's synthesis

(d) Grignard's synthesis

16. Glucose contains in addition to aldehyde group

(a) one secondary OH and Four primary OH groups

(b) one primary OH and four secondary OH groups

(c) two primary OH and three secondary OH groups

(d) three primary OH and two secondary OH groups

17. Which of the following taking place in the blast furnace is endothermic ?

(a) $CaCO_3 \rightarrow CaO + CO_2$

(b) $2C+O_2 \rightarrow 2CO$

(c) $C+O_2 \rightarrow CO_2$

(d) $Fe_2O_3 + 3CO \rightarrow 2Fe + 3CO_2$

18. The formula mass of Mohr's salt is 392.The iron present in it is oxidised by $KMnO_4$ In acid medium.The equivalent mass of Mohr's salt is :

(a) 392 (b) 31.6

(c) 178 (d) 156

19. Which of the following solutions will exhibt highest boiling point ?

JbigDeaL JbigDeaL JbigDeaL JbigDeaL Download from www.JbigDeaL.in Powered By © JbigDeaL JbigDeaL JbigDeaL JbigDeaL JbigDeaL

JbigDeaL JbigDeaL JbigDeaL JbigDeaL
Download from www.JbigDeaL.in Powered By © JbigDeaL™

(a) 0.01 M Na_2SO_4 (aq)

(b) 0.01 M KNO_3 (aq)

(c) 0.015 M urea (aq)

(d) 0.015 M glusco (aq)

20. The highest magnetic moment is shown by the transition metal ion with the configuration

(a) $3d^2$ (b) $3d^5$

(c) $3d^7$ (d) $3d^9$

21. A transition metal ion exists in its highest oxidation state .It is expected to behave as

(a) a chelating agent

(b) a central metal in a coordination compound

(c) an oxidizing agent

(d) a reducing agent

22. In which of the following complex ion ,the central metal ion is in a state of sp^3d^2 hybridsation ?

(a) $[CoF_6]^{3-}$ (b) $[Co(NH_3)_6]^{3+}$

(c) $[Fe(CN)_6]3-$ (d) $[Cr(NH_3)_6]^{3+}$

23. Which of the following can participate in linkage isomerism ?`

(a) NO^-_2

(b) $H_2NCH_2CH_2 N H_2$

(c) H_2O

(d) : NH_3

24. Which of the following has the highest bond order ?

(a) N_2 (b) O_2

(c) He_2 (d) H_2

25. Which of the following is diamagnetic ?

JbigDeaL JbigDeaL JbigDeaL JbigDeaL Download from www.JbigDeaL.in Powered By © JbigDeaL JbigDeaL JbigDeaL JbigDeaL JbigDeaL

JbigDeaL JbigDeaL JbigDeaL JbigDeaL
Download from www.JbigDeaL.in Powered By © JbigDeaL™

(a) H_2^+ (b) O_2

(c) Li_2 (d) He_2^+

26. The concentration of a reactant X decreases from 0.1 M to 0.005 M in 40 min.If the reaction follows first order kinetics,the rate of the reaction when the concentration of x is 0.01 M will be

(a) $1.73X10^{-4}$ M min^{-1}

(b) $3.47X10^{-4}$ M min^{-1}

(c) $3.47X10^{-5}$ M min^{-1}

(d) $7.5X10^{-4}$ M min^{-1}

27. Chemical reactions with very high E_a values are generally

(a) very fast (b) very slow

(c) moderately fast (d) spontaneous

28. which of the following does not conduct electricity ?

(a) Fused NaCL

(b) Solid NaCL

(c) Brine solution

(d) Copper

29. When a quantity of electricity is passed through $CuSO_4$ solution,0.16 g of copper gets deposited.If the same quantity of electricity is passed through acidulated water,then the volume of H_2 liberated at STP will be

[given : atomic weight of Cu = 64]

(a) 4.0 cc (b) 56 cc

(c) 604 cc (d) 8.0 cc

30. Solubility product of a salt AB is $1x10^{-8}$ M^2 in a solution in which the concentration of A^+ ions is 10^{-3} M>the salt will precipitate when the concentration of B^- ions is kept

(a) between 10^{-8} M to 10^{-7} M

(b) between 10^{-7} M to 10^{-8} M

(c) > 10^{-5} M

JbigDeaL JbigDeaL JbigDeaL JbigDeaL Download from www.JbigDeaL.in Powered By © JbigDeaL JbigDeaL JbigDeaL JbigDeaL JbigDeaL

JbigDeaL JbigDeaL JbigDeaL JbigDeaL
Download from www.JbigDeaL.in Powered By © JbigDeaL™

(d) $<10^{-8}$ M

31. Wheich one of the following conditions will increase the voltage of the cell represented the equation ?

$Cu(s) + 2Ag^{+}(aq) \rightleftharpoons Cu^{2+}(aq) + 2Ag(s)$

(a) Increase in the dimension of Cu electrode
(b) Increase in the dimension of Ag electrode
(c) Increase in the concentration of Cu^{2+} ions
(d) Increse in the concentration of Ag^{+} ions

32. The pH of 10^{-8} M HCL solution is

(a) 8 (b) more than 8

(c) between 6 and 7 (d) slightly more than 7

33. The mass of glucose that should be dissolved in 50 g of water in order to produce the same lowering of pressure as is produced by dissolving 1 g of urea in the same quantity of water is

(a) 1 g (b) 3 g

(c) 6 g (d) 18 g

34. Osmotic pressure observed when benzoic acid is dissolved in benzene is less than expected from theoretical considerations .This is because

(a) benzoic acid is an organic solute

(b) benzoic acid has higher molar mass than benzene

(d) benzoic acid gets associated in benzene

(d) benzoic acid gets dissociated in benzene

35. For a reaction to be spontaneous at all temperatures

(a) aG and aH should be negative

(b) aG and aH should be positive

(c) aG = aS= 0

(d) aH < aG

36. Which of the following electrolyte will have maximum flocculation value for $Fe(OH)_2$ sol ?

(a) naCL (b) Na_2S

JbigDeaL JbigDeaL JbigDeaL JbigDeaL Download from www.JbigDeaL.in Powered By © JbigDeaL JbigDeaL JbigDeaL JbigDeaL JbigDeaL

JbigDeaL JbigDeaL JbigDeaL JbigDeaL
Download from www.JbigDeaL.in Powered By © JbigDeaL™

(c) $(NH_4)_3 PO_4$ (d) K_2SO_4

37. For a reversible reaction X(g) + 3Y(g) ⇌ 2 Z(g); aH= -40 kj,the standard entropies of X,Y and Z are 60,40 and 50 JK^{-1} mol^{-1} respectively.The temperature at which the above reaction attains equilibrium is about

(a) 400 K (b) 500 K

(c) 273 K (d) 373 K

38. The radii of Na^+ and CL^- ions are 95 pm and 181 pm restectrively.the edge length of NaCL unit cell is

(a) 276 pm (b) 138 pm

(c) 552 pm (d) 415 pm

39.Inductive effect involves

(a) displacement of ±-electrons

(b) delocalization of ®-electrons

(c) delocalization of ±-electrons

(d) displacement of ®-electrons

40. The basic of aniline is less than that of cyclohexylamine.This is due to

(a) +R effect to $-NH_2$ group

(b) -I effect of $-NH_2$ group

(c) -R effect of $-NH_2$ group

(d) hyperconjugation effect

41. Methyl bromide is converted into ethane by heating it in other medium with

(a) Al (b) Zn (c) Na (d) Cu

42. Which of the following compound is expected to be optically active ?

(a) $(CH_3)_2CHCHO$

(b) $CH_3CH_2CH_2CHO$

(c) $CH_3CH_2CHBrCHO$

JbigDeaL JbigDeaL JbigDeaL JbigDeaL Download from www.JbigDeaL.in Powered By © JbigDeaL JbigDeaL JbigDeaL JbigDeaL JbigDeaL

JbigDeaL JbigDeaL JbigDeaL JbigDeaL
Download from www.JbigDeaL.in Powered By © JbigDeaL™

(d) $CH_3CH_2CBr_2CHO$

43. Which cycloalkane has the lowest heat of combustion per CH_2 group ?

(a) Cyclopropane (b) $FeCL_3$

(c) anhydrous $ZnCL_2$ (d) Cu

44. The catalyst used in the preparation of an alkyl chloride by the action of dry HCL on an alcohol is

(a) anhydrous $ALCL_3$ (b) Cyclobutane

(c) Cyclopentane (d) Cyclohexane

45. In the reaction

$$R - X \xrightarrow{\text{Alcoholic KCN}} A \xrightarrow{\text{Dilue HCL}} B$$

The product B is

(a) Salicylic acid (b) Phenol

(c) Benzoic-acid (d) 4-nitrobenzoic acid

46. Which of the following compound would not evolve CO_2 when treated with $NaHCO_3$ solution ?

(a) Salicylic acid (b) phenol

(c) Benzoic acid (d) 4-nitrobenzoic acid

47. By heating phenol with chloroform in alkali,it is converted into

(a) salicylic acid (b) salicyladehyde

(c) anisole (d) phenyl benzoate

48. When a mixture of calcium benzoate and calcium acetate is dry distilled,the resulting compound is

(a) acetophenon (b) banzaldehyde

(c) benzophenone (d) acetaldehyde

49. Which one of the following does not give benzoic acid on hydrolysis ?

(a) Phenyl cyanide (b) Benzoyl chloride

(c) Benzyl chloride (d) Methyl benzoate

50. Which of the following would undergo Hofmann reaction to give a primary amine ?

JbigDeaL JbigDeaL JbigDeaL JbigDeaL Download from www.JbigDeaL.in Powered By © JbigDeaL JbigDeaL JbigDeaL JbigDeaL JbigDeaL

JbigDeaL JbigDeaL JbigDeaL JbigDeaL
Download from www.JbigDeaL.in Powered By © JbigDeaL™

O

‖

(a) R –C –CL (b) $RCONHCH_3$

(c) $RCONH_2$ (d) RCOOR

JbigDeaL JbigDeaL JbigDeaL JbigDeaL Download from www.JbigDeaL.in Powered By © JbigDeaL JbigDeaL JbigDeaL JbigDeaL JbigDeaL